INDEX

A

abbreviations table 2, 64–65
ABI 8, 58
accelerated access 47
access declarations 39
accessibility 16, 39, 72
activations 3, 57
address space
  contiguous 21, 24
  flat 17
  multiple 11
  segmented 3, 17, 24, 31, 48, 64
addresses
  class 17, 24, 36, 73
  offset portion 17, 48, 64, 75
  size of 48, 64, 75
anonymous types 28
anonymous unions 31, 39
arrays 3, 37
  dimensions 37
  ordering 37, 75
  stride 37
artificial entries 17
attributes 1, 5, 65
  addresses 6, 65
  blocks 6, 65
  constants 6, 66
  flags 6, 67
  forms 2, 5, 65
  names 2, 5, 65
  ordering 7, 25
  references 6, 67
  strings 7, 68
  values 2, 5, 64

B

base types 16, 22, 35, 63, 72
bit fields 40

C

C 1, 24, 31, 37–38, 43, 45, 55
C++ 1, 3, 16–17, 19, 26, 30–31, 38–39, 41, 45, 47, 55
call frame information 3, 57, 63, 76
  Common Information Entry 59
  Frame Description Entry 60
  instructions 60, 76
  register rules 59
  structure 58
  usage 62
calling conventions 24, 63, 74
catch blocks 30
classes 31, 38
  derived 38
  friends 39
  incomplete 38
  virtual base 39
common blocks 25, 33
compatibility 1, 63
compilation units 21, 26, 42, 64
  header 64
constants 31–32

D

`.debug` 2
`.debug_abbrev` 64–65, 77
`.debug_aranges` 47, 75, 77
`.debug_frame` 59, 77
`.debug_info` 1–2, 5, 47–48, 64, 77
`.debug_line` 2, 48, 77
`.debug_loc` 15, 77
`.debug_macinfo` 55, 77
`.debug_pubnames` 47, 75, 77
`.debug_str` 68, 77
debugging information entries 1, 5, 7, 64
  child entries 2, 7, 65
  null entries 7, 64–65
  siblings 2, 7, 65
declarations
  accessibility 16, 72
  coordinates 18, 26, 28, 42
  defining 18, 31, 38, 41
  external 23, 31
  imported 33
  non-defining 2, 18, 24, 31, 36, 38
  scope 32, 35
  types of 2, 16
  visibility 16, 73
discriminants 42, 75
discriminated unions 38, 42, 75

E

entry points 23
  declarations owned by 25
  locations 24
  return types 24

enumerations 3, 37, 43
error values 63
exceptions 3, 26, 30

F

file types 46
flat address space 17
Fortran 1, 25, 33, 44–45
FORTRAN77 1
Fortran90 1, 32–33
friends 39

I

identifiers
  case 22, 74
  names 19, 47
imports 33
inheritance 38

L

labels 29
languages 1, 21, 73
LEB128 6, 49, 66, 68
lexical blocks 29
line number information 2, 18, 21, 48, 75
  definitions 49, 75
  extended opcodes 50, 54, 76
  general rules 57
  prologue 50
  special opcodes 50, 52
  standard opcodes 50, 53, 76
  state machine registers 49
locations
  arithmetic operations 11
  control flow operations 12
  descriptions 2, 8, 17, 39, 70
  examples 13–14
  expressions 8, 39, 63, 70
  lists 2, 8, 15, 72
  literal encodings 9
  logical operations 11
  register based addressing 10
  register name operators 8
  special operations 13
  stack 9–10, 13
lookup
  by address 47, 75
  by name 47, 75

M

macro information 2, 22, 55, 76
  base source entries 56
  command line options 56
  define and undefine entries 55
  end file entries 56
  start file entries 56
  vendor extensions 56
main programs 24
members 28
  bit fields 40
  data 38–39
  functions 23, 38, 41
  locations 9, 41
  pointers to 45
  static data 31, 38, 47
Modula2 1, 16, 23, 30
modules 23
  definition 23
  priority 23

N

namelists 33

O

optimized code 8, 16, 31

P

parameters
  default value 32
  formal 25, 30–31, 44
  optional 32
  unspecified 25, 30, 44
  variable 32
Pascal 1, 30, 38, 44, 46
pointers to members 45
pre-processor 2, 55

R

records 38

S

scope 32, 35
segmented address space 3, 17, 24, 31, 48, 64
set types 44

source
  columns 18, 49
  files 18, 21, 49, 51, 54, 56, 76
  lines 18, 49, 55
string table 68
string types 44
structures 31, 38
  derived 38
  incomplete 38
subranges 37, 45
subroutines 17, 23
  declarations owned by 25
  frame base 10, 25
  inline 26, 74
  inlined 27
  locations 24
  members 23, 41
  nested 25
  out-of-line 28
  prototypes 24, 43
  return addresses 25
  return types 24, 43
  types 17, 43

T

tags 2, 5, 63, 65
templates 3, 26, 41
try blocks 30
type modifiers 16, 36
typedefs 36
types
  base 16, 22, 35, 63, 72
  constant 16, 36
  modifiers 16, 36
  packed 16, 36
  pointer 16–17, 36
  reference 16–17, 36
  user-defined 16
  volatile 16, 36

U

unions 31, 38, 40
  anonymous 31, 39
  incomplete 38
user-defined types 16

V

variable length data 2, 6, 66, 68
variables 31
variants 38, 42, 75
vendor extensions 2, 56, 58, 63
Version 1 1–2, 8, 64
Version 2 1, 8, 64, 76
virtual functions 1, 17, 41
virtuality 17, 39, 41, 73
visibility 16, 73

W

with statements 30